

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

KAWAI

Atty. Ref.: **4255-6**

Serial No. **Unknown**

Group:

Filed: **March 16, 2004**

Examiner:

For: **OPTOELECTRONIC DUST SENSOR AND AIR CONDITIONING
EQUIPMENT IN WHICH SUCH OPTOELECTRONIC DUST
SENSOR IS INSTALLED**

* * * * *

March 16, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:


As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the reference listed on the attached form PTO-1449, a copy of which is enclosed. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The Japanese reference listed on the PTO-1449 is referenced on page 1 of the instant application.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached reference has been considered and made of record.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 
H. Warren Burnam, Jr.
Reg. No. 29,366

HWB:Imy
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

INFORMATION DISCLOSURE CITATION

ATTY. DOCKET NO.

4255-6

SERIAL NO.

Unknown

~~APPLICANT~~

KAWAI

FILING DATE

GROUP

(Use several sheets if necessary)

March 16, 2004

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

							TRANSLATION	
DOCUMENT			DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
		8-62136	3/1996	JP			Abstract	

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.